



2015/02/09

## MAxx300/400 series Label Design Change Announcement

Dear valued customer,

We sincerely appreciate your long-term support for Mindman industrial. Today, we want to inform you the label design change for air unit product. The pressure unit for our air unit product has changed into MPa; therefore, we will change the pressure unit on product label. In addition, we also add new warning label on the product.

The effective series would be MAxx300/400 series; here is the before-after comparison for the label design change:

### A.MACC300

Before	After
<p>Product Label</p>	<p>Product Label</p> <p>Warning Label</p>




### B.MAL300/300L



Before	After
<p>Product Label</p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; font-size: 1.2em;">LUBRICATOR</p> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>MODEL MAL300-8A</p> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>MAX. PRESSURE 9.9kgf/cm<sup>2</sup></p> <p>⊗KEPT OFF VOLATILITY ENVIRONMENT LIKE THINNER AND TRICHLOROETHYLENE</p> <p>⊗KEPT OFF DIRECT SUNRAYS</p> </div> <div style="border: 1px solid black; padding: 5px;"> </div>	<p>Product Label</p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <span style="font-size: 0.8em;">MADE IN TAIWAN</span>  <p style="text-align: center; color: blue; font-weight: bold;">MAL300-8A-G</p> <p style="text-align: center; color: blue;">538972</p> </div> <p>Warning Label</p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p>MAX.PRESS. 1MPa MAX.TEMP. 60°C</p> <p style="text-align: center; color: blue; font-weight: bold;">⚠WARNING</p> <p style="font-size: 0.8em;">Depressurized unit before removing bowl.Prevent unit from adhesion of synthetic oils,organic solvents,chemicals, cutting oils,etc.Kept off long time direct sunrays.</p> </div> <p style="text-align: center;">MIN. OIL LEVEL</p> <hr style="border: 2px solid black;"/> <p style="text-align: center;">OIL: ISO VG32</p>

### C.MAL400

Before	After
<p>Product Label</p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center;">OIL LIMIT</p> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; font-size: 1.2em;">LUBRICATOR</p> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>MODEL MAL400-10A</p> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p>MAX.PRESSURE 9.9kgf/cm<sup>2</sup></p> <p>TEMP.-5°C~+60°C (No freezing)</p> <p>⊗KEPT OFF VOLATILITY ENVIRONMENT LIKE THINNER AND TRICHLOROETHYLENE</p> <p>⊗KEPT OFF DIRECT SUNRAYS</p> </div> <div style="border: 1px solid black; padding: 5px;"> </div>	<p>Product Label</p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <span style="font-size: 0.8em;">MADE IN TAIWAN</span>  <p style="text-align: center; color: blue; font-weight: bold;">MAL400-10A-G</p> <p style="text-align: center; color: blue;">538972</p> </div> <p>Warning Label</p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p>MAX.PRESS. 1MPa MAX.TEMP. 60°C</p> <p style="text-align: center; color: blue; font-weight: bold;">⚠WARNING</p> <p style="font-size: 0.8em;">Depressurized unit before removing bowl.Prevent unit from adhesion of synthetic oils,organic solvents,chemicals, cutting oils,etc.Kept off long time direct sunrays.</p> </div> <p style="text-align: center;">MIN. OIL LEVEL</p> <hr style="border: 2px solid black;"/> <p style="text-align: center;">OIL: ISO VG32</p>



### D.MAFR/F300、MAFR/F300L、MAF300D/M、MAF300LD/M

Before	After
<p><b>Product Label</b></p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p style="text-align: center; font-size: 1.2em;">PAIR UNIT</p> <p>MODEL MAFR300L-8A</p> <p>MAX. PRESSURE 9.9kgf/cm<sup>2</sup> REGULATION 0.5~8.5kgf/cm<sup>2</sup></p> <p>⊗KEPT OFF VOLATILITY ENVIRONMENT LIKE THINNER AND TRICHLOROETHYLENE ⊗KEPT OFF DIRECT SUNRAYS</p> <p style="text-align: center;"></p> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; font-size: 1.2em;">AIR FILTER</p> <p>MODEL MAF300-8A</p> <p>MAX.PRESSURE 9.9kgf/cm<sup>2</sup> TEMP. -5°C~+60°C (No freezing)</p> <p>⊗KEPT OFF VOLATILITY ENVIRONMENT LIKE THINNER AND TRICHLOROETHYLENE ⊗KEPT OFF DIRECT SUNRAYS</p> <p style="text-align: center;"></p> </div>	<p><b>Product Label</b></p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px; width: fit-content; margin-left: auto;"> <p style="text-align: center; font-size: 0.8em;">M Mindman / MADE IN TAIWAN</p> <p style="text-align: center; font-size: 1.1em;">MAF300-8A-G</p> <p style="text-align: center; font-size: 0.8em;">538972</p> </div> <p><b>Warning Label</b></p> <div style="border: 1px solid black; padding: 10px; margin-top: 10px; width: fit-content; margin-left: auto;"> <p style="text-align: center; border-bottom: 2px solid black; margin-bottom: 5px;">MAX. DRAIN LEVEL</p> <p>MAX.PRESS. 1MPa</p> <p>MAX.TEMP. 60°C</p> <p style="text-align: center; color: blue;">▲ WARNING</p> <p>Depressurized unit before removing bowl.Prevent unit from adhesion of synthetic oils,organic solvents, chemicals,cutting oils,etc. Kept off long time direct sunrays.</p> </div>



E.MAFR/F400

Before	After
<p>Product Label</p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p style="text-align: center; font-size: 1.2em;">PAIR UNIT</p> <p>MODEL MAFR400-10A</p> <p>MAX.PRESSURE 9.9kgf/cm<sup>2</sup> REGULATION 0.5-8.5kgf/cm<sup>2</sup></p> <p>⊗KEPT OFF VOLATILITY ENVIRONMENT LIKE THINNER AND TRICHLOROETHYLENE ⊗KEPT OFF DIRECT SUNRAYS</p> <p style="text-align: center;"><b>mindman</b></p> <p style="text-align: center;">— DRAIN LIMIT —</p> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; font-size: 1.2em;">AIR FILTER</p> <p>MODEL MAF400-15A</p> <p>MAX.PRESSURE 9.9kgf/cm<sup>2</sup> TEMP. -5°C~+60°C (No freezing)</p> <p>⊗KEPT OFF VOLATILITY ENVIRONMENT LIKE THINNER AND TRICHLOROETHYLENE ⊗KEPT OFF DIRECT SUNRAYS</p> <p style="text-align: center;"><b>M mindman</b></p> <p style="text-align: center;">DRAIN LIMIT</p> </div>	<p>Product Label</p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <p style="text-align: center; font-size: 0.8em;">M mindman / MADE IN TAIWAN</p> <p style="text-align: center; font-size: 1.2em;">MAFR400-8A-G</p> <p style="text-align: center; font-size: 0.8em;">538972</p> </div> <p>Warning Label</p> <div style="border: 1px solid black; padding: 10px; margin-top: 10px;"> <p style="text-align: center; border-bottom: 2px solid black; font-weight: bold;">MAX. DRAIN LEVEL</p> <p>MAX.PRESS. 1MPa</p> <p>MAX.TEMP. 60°C</p> <p style="text-align: center;"><b>⚠ WARNING</b></p> <p>Depressurized unit before removing bowl. Prevent unit from adhesion of synthetic oils, organic solvents, chemicals, cutting oils, etc. Kept off long time direct sunrays.</p> </div>



### F. MACP/CT300

Before	After
<p><b>Product Label</b></p> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; font-size: 1.2em;">AIR UNIT</p> <p>MODEL MACT300L-8A</p> <p>MAX.PRESSURE 9.9kgf/cm<sup>2</sup> TEMP. -5°C~+60°C (No freezing)</p> <p>☉USE OIL ISO-VG32 EQUIVALENT ☉KEPT OFF VOLATILITY ENVIRONMENT LIKE THINNER AND TRICHLOROETHYLENE ☉KEPT OFF DIRECT SUNRAYS</p> <p style="text-align: center;"></p> </div>	<p><b>Product Label</b></p> <div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 2px; font-size: 0.8em;">  MADE IN TAIWAN MAF300-8A-G 538972         </div> <div style="border: 1px solid black; padding: 2px; font-size: 0.8em;">  MADE IN TAIWAN MAR301-8A-G 538972         </div> <div style="border: 1px solid black; padding: 2px; font-size: 0.8em;">  MADE IN TAIWAN MAL300-8A-G 538972         </div> </div> <p><b>Warning Label</b></p> <div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 5px; width: 45%;"> <p style="text-align: center;">MAX. DRAIN LEVEL</p> <hr style="border: 2px solid black;"/> <p>MAX.PRESS. 1MPa MAX.TEMP. 60°C <b>⚠ WARNING</b> Depressurized unit before removing bowl.Prevent unit from adhesion of synthetic oils,organic solvents, chemicals,cutting oils,etc. Kept off long time direct sunrays.</p> </div> <div style="border: 1px solid black; padding: 5px; width: 45%;"> <p>MAX.PRESS. 1MPa MAX.TEMP. 60°C <b>⚠ WARNING</b> Depressurized unit before removing bowl.Prevent unit from adhesion of synthetic oils,organic solvents, chemicals,cutting oils,etc. Kept off long time direct sunrays.</p> <p style="text-align: center;">MIN. OIL LEVEL</p> <hr style="border: 2px solid black;"/> <p>OIL:ISO VG32</p> </div> </div>

### G. MAR300/301/400

Before	After
<p><b>Product Label</b></p> <div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 2px; font-size: 0.8em; width: 30%;"> <p style="text-align: center; font-weight: bold;">REDUCING VALVE</p> <p>MODEL MAR300-10A REGULATION 0.5-8.5kgf/cm<sup>2</sup> MAX.PRESSURE 9.9kgf/cm<sup>2</sup> </p> </div> <div style="border: 1px solid black; padding: 5px; width: 65%;"> <p style="text-align: center;">REDUCING VALVE</p> <p>MODEL MAR400-10A</p> <hr/> <p style="text-align: center;">REGULATION 0.5-8.5kgf/cm<sup>2</sup></p> <p style="text-align: center;"></p> </div> </div> <div style="border: 1px solid black; padding: 2px; font-size: 0.8em; margin-top: 5px; width: 30%;"> <p style="text-align: center; font-weight: bold;">REDUCING VALVE</p> <p>MODEL MAR301-10A REGULATION 0.5-8.5kgf/cm<sup>2</sup> MAX.PRESSURE 9.9kgf/cm<sup>2</sup> </p> </div>	<p><b>Product Label</b></p> <div style="display: flex; justify-content: space-around; margin-bottom: 10px;"> <div style="border: 1px solid black; padding: 2px; font-size: 0.8em;">  MADE IN TAIWAN MAR300-10A-G 538972         </div> <div style="border: 1px solid black; padding: 2px; font-size: 0.8em;">  MADE IN TAIWAN MAR301-10A-G 538972         </div> <div style="border: 1px solid black; padding: 2px; font-size: 0.8em;">  MADE IN TAIWAN MAR400-10A-G 538972         </div> </div> <p><b>Pressure Setting Label</b></p> <div style="border: 1px solid black; padding: 5px; text-align: center; width: fit-content; margin: 0 auto;"> <p>SET PRESS. 0.05~0.85MPa</p> </div>

# 設變通報

Product Design  
Change



 **Mindman**  
[www.mindman.com.tw](http://www.mindman.com.tw)

We plan to produce the air unit product with new label design from March 10, 2015 officially. If you have any problem, please kindly inform our sales representative. We apologize for any inconvenience may occur.

Sincerely Your  
Mindman Industrial